

THE MYCOLOGICAL SOCIETY OF AMERICA

FOUNDED DECEMBER, 1931

Office of the Secretary-Treasurer
Department of Plant Pathology
Cornell University
Ithaca, New York 14850

S. Y. Cheo. 焦啓原 (? - 1970)

Chinese Botanist, In 1930 - 1949.

(Worked in Nanking University, Nanking [Nanjing]
China.)

In 1950 - 1970.

(He is a Prof. of Botany, worked in Fu-Dan
University, [Department of Biology], Shanghai,
China.)

He had published: « The Aromatic plants
of China » 1959 or 1960. Science press.

China.

Harvard University

FARLOW REFERENCE LIBRARY OF
CRYPTOGAMIC BOTANY

R. THAXTER, Prof. Emeritus and Hon. Curator
BERTHA E. WOOD, Librarian



20 Divinity Avenue
Cambridge 38, Mass., U. S. A.

Check numbers not reported as
having been sent to Steward.

36.

51.

288

449

558

558-a

681-a

947-

990-

998-

1002-

FUNGI OF KWEICHOW PROVINCE, CHINA

Coll. S.Y. Cheo

No.	Date	Name
7	7.17.31	Lenzites betulina L. ex Fr.
131 *	7.27.31	Lenzites betulina L. ex Fr.
300	8.11.31.	Lenzites betulina L. ex Fr.
423	9.7.31.	Lenzites pertenuis (probably a var. of L. betulina)
650	10.3.31	Daedaleopsis confragosa (Bolt.) Schröt. f. Klotzschii
686	10.13.31.	Polyporus varius Fr.
768	10.21.31.	Bondarzewia <i>Berkelayi</i> (Fr.) Sing.
136	7.27.31	Berkelayi <i>Sing. spec. nov. ined.</i> Ganoderma applanatum var. tornatum
131*	7.27.31	Pycnoporus sanguineus (L.) Murr.
75	7.20.31	Coriolus hirsutus (Wulf. ex Fr.) Quel.
134	7.25.31	Coriolus versicolor (L. ex Fr.) Quel.
159	7.30.31	Coriolus versicolor (L. ex Fr.) Quel. f. subhirsutus Donk
256	8.6. 31	Coriolus versicolor (L. ex Fr.) Quel.
539	9.19.31	Polyporus Korthalsii Lev.
600	9.27.31	Coriolus versicolor (L. ex Fr.) Quel.
639	10.3. 31	Coriolus hirsutus (Wulf. ex Fr.) Quel.
688	10.13.31	Polyporus tegularis Lev.
691.	10.13.31	Bjerkandera adusta (Willd. ex Fr.) Karst.
484	9.14 31.	Piptoporus medulla (Lloyd) Sing. ined. (Polyp. med.)
359	9.3.31	Irpex lacteus Fr.

7'

*) There were two packages with no. 131, each containing a different fungus.

1. Cucurbita Pepo Linn.
2. Cucumis sativa Linn.
4. Mosla (334)
5. Rosa laevigata Michx., or R. longicuspis Bertol., or R. microcarpa Lindl., or R. Roxburghii Tratt., or R. Rubus Levl. & Van., or R. sertata Rolfe.
6. Cunninghamia lanceolata Hook.
7. " "
8. Miscanthus sinensis Anderss.
9. Pennisetum alopecuroides (L.) Spreng.
10. Cunninghamia lanceolata Hook.
11. Carpinus Fargesiana Winkl., or C. kweichowensis Hu, or C. laxiflora var. macrostachya Oliv., or C. tungtzeensis Hu, or C. Wilsoniana Hu
12. Miscanthus sinensis Anderss. (836)
13. Quercus acuta Thunb. var. sinensis Chun, or Q. aliena Blume, or Q. Engleriana Seem., or Q. Fabri Hance, or Q. gilva Blume, or Q. glandulifera Bl. var. brevipedunculata Nakai, or Q. glauca Blume, or Q. jenseniana Hand.-Maz., or Q. myrsinaefolia Blume, or Q. phyllraeoides A. Gray, or Q. Tsoi Chun, or Q. vestita Rehd. & Wils., or Q. dentata Thunb.
14. Lysimachia clethroides Duby (98)
15. Rhamnus leptophylla Schneid. (90)
16. Rhus punjabensis Stewart var. nucipersica (L.) Schneid.,/or R. verniciflua Stokes
17. Artemisia lactiflora Wall. or R. semialata Murr.
19. Pollinia (209)
20. Saussurea
21. Lespedeza pseudotinctoria Mats., or L. virgata DC.
23. Rubus ampelinus Focke, or R. amplifolius Levl. & Van., or R. hupehensis Oliv., or R. innominatus S. Moore, or R. setchuenensis Bur. & Franch.
24. Liquidambar formosana Hance
25. Phaseolus vulgaris Linn. (189)
26. Prunus microbotrys Koehne (92)
27. Rhynchosia
28. Pueraria Thunbergiana Bentham (287)
29. Saussurea
30. Plantago major Linn.
31. Themeda gigantea villosa Hack., or T. triandra Forsk.
32. Rubus = No. 23
33. Populus nigra Linn.
34. Siegesbeckia orientalis Linn.
35. Rubus setchuenensis Wright (225)
36. Phyllostachys puberula Munro
37. Cucurbita Pepo Linn.
38. Carpinus = No. 11
39. Oleaceae
40. Cirsium arvense (L.) Scop.
41. Pollinia
42. Agrimonia europaea Linn.
43. Rhus = No. 16
44. " "
45. Clematis grata Wall. var. grandidentata Rehd. & Wils. (29)
46. Evodia meliaefolia Benth. (329)
47. Clematis armandi Franch., or C. Buchananiana DC., or C. gracilis Edgew., or C. grata Wall. var. grandidentata Rehd. & Wils., or C. Henryi Oliv., or C. lasiandra Maxim., or C. montana Buchanan, or C. repens Fin. & Gagnep., or C. uncinata Champ., or C. urophylla Franch.
48. Geranium sibiricum Linn. (79)
49. Eupatorium (743)

50. Clematis = No. 47
 51. Brunella vulgaris Linn.
 52. Rubus = No. 23
 53. Artemisia lactiflora Wall.
 54. Ilex macrocarpa Levl. (108)
 55. Quercus = No. 13
 56. Salix ~~xxxmax~~ (33) longiflora Anders.
 58. Rhus = No. 16
 59. Dalbergia balansae Prain, or D. hupeana Hance
 61. Pollinia (35)
 60. Agrimonia europaea Linn.
 62. Phaseolus vulgaris Linn. (189)
 63. Rubus setchuenensis Wright (225)
 64. Artemisia lactiflora Wall.
 65. Zanthoxylum dissitum Hemsl. (172)
 66. Viola canescens Wall., or V. Limprichtiana W. Becker
 67. Rosa Roxburgii ~~Franch~~ Tratt.
 68. Pollinia (849)
 69. Lysimachia callipes Hemsl., or L. clethroides Duby, or L. Fortunei Maxim., or
L. Huii Diels, or L. phyllocephala Hand.-Maz.
 70. Castanea mollissima Blume, or C. Seguinii Dode
 71. Eurya acuminata DC., or E. acuminatissima Merr., or E. glandulosa Merr., or
E. Groffii Merr., or E. nitida Korth.
 72. Zanthoxylum cuspidatum Champ., or Z. dimorphophyllum Hemsl., or Z. dissitum
Hemsl., or Z. myrianthum Wall., or Z. simulans Hance, or Z. alatum Roxb.
 73. Quercus = No. 13
 76. -
 77. Bambusa
 78. Pueraria Thunbergiana Benth.
 79. Quercus = No. 13
 80. Broussonetia papyrifera Vent.
 82. Rubus = No. 23
 83. Phyllostachys puberula Munro
 84. Quercus = No. 13
 85. Zanthoxylum alatum Roxb. (34)
 86. Rosa Roxburghii Tratt. (2)
 87. Populus nigra Linn.
 88. Miscanthus sinensis Anderss.
 89. Populus nigra Linn.
 90. Trema
 91. Glycine Max (L.) Merr.
 92. Castanea = No. 70
 93. Aralia dasyphylla Miq.
 94. Indigofera
 95. Buddleia Davidii Franch.
 96. Polygonum nepalense Meisner (399)
 97. Zanthoxylum = No. 72
 98. Andropogon Ischaemum Linn., or A. micranthus Kunth.
 99. Broussonetia papyrifera Vent.
 100. Polygonum caespitosum Blume (385)
 101. Prunus Persica Stokes
 102. Pollinia
 103. Rhus = No. 16
 104. Epimidium
 105. Clematis grata Wall. var. grandidentata Rehd. & Wils. (29)
 106. Dioscorea batatas Decne., or D. bulbifera Linn., or D. doryophora Hance, or
D. glabra Dode, or D. pentaphylla Linn.
 107. Vigna sinensis (L.) Hassk.

108. Zanthoxylum (910)
 109. Fraxinus chinensis Roxb.
 110. Cryptotaenia canadensis DC. (113)
 111. Celtis Bungeana Blume, or C. Julianae Schneid., or C. sinensis Pers.
 112. Zea Mays Linn.
 113. Rhamnus crenata Thunb., or R. Esquirolii Levl., or R. leptophyllus Schneid.,
 or R. utilis Decne.
 114. Zanthoxylum alatum Roxb. (34)
 115. Ailanthus
 116. Justicia
 117. Lactuca chinensis (Thunb.) Mak., or L. denticulata Maxim., or L. elata Hemsl.
 118. Teucrium quadrifarium Buch.-Ham. (187)
 119. Patrinia heterophylla Bunge (591)
 120. Viola = No. 66
 121. Perilla
 122. Galystegia sepium R. Br. (194)
 123. Lespedeza = No. 21
 124. Helianthus annuus Linn.
 125. Vicia
 126. Torilis anthriscus (L.) Gambl.
 127. Rhus punjabensis Stewart var. nucipersica (L.) Schneid. (112)
 128. Zanthoxylum = No. 72
 130. Zea Mays Linn.
 131. Liquidambar formosana Hance
 132. Quercus = No. 13
 133. Rhus = No. 16
 134. " "
 135. " "
 137. " "
 138. Glycine Max (L.) Merr.
 139. Artemisia lactiflora Wall.
 140. Setaria
 141. Bambusa
 142. Spiraea japonica Linn.f. var. acuminata Franch. (367)
 143. Rhus = No. 16
 145. " "
 146. Crataegus
 147. Phtheirospermum chinense Bunge (632)
 149. Angelica
 150. Hypericum patulum Thunb. (628)
 151. Viola (678)
 152. Morus
 153. Zanthoxylum simulans Hance (17)
 154. Viburnum betulifolium Batal., or V. corylifolium Hook.f. & Thoms., or V.
cylindricum Hamilt., or V. fallax Graeber, or V. foetidum Wall. var.
rectangulum Rehd., or V. propinquum Hemsl.
 155. Sanicula europaea Linn. (178)
 156. Quercus = No. 13
 157. Aralia (129)
 158. Pennisetum alopecuroides (L.) Spreng. (617)
 159. Castanea = No. 70
 160. Houttuynia cordata Thunb. (118)
 161. Olematis = No. 47
 163. Zizania
 164. Aster (585)
 165. Crataegus
 166. Elaeagnus lanceolata Warb. subsp. grandifolia Serv. (413)
 167. Iris

168. Trachycarpus excelsus Wendl.
 169. " "
 170. " "
 171. Zanthoxylum = No. 72
 172. Rosa Roxburghii Franch. (2)
 173. Pennisetum alopecuroides (L.) Spreng.
 174. Kyllinga brevifolia Rottb., or K. b. var. gracillima (Miq.) Kukenthal
 175. Arthraxon hispidus (Thunb.) Makino (519)
 176. Carex cruciata Wahl., or C. japonica Thunb. ~~// or //~~ var. chlorostachys (D. Don)
 Kukenthal, or C. ligata Nees, or C. ligulata Nees
 177. Bambusa
 178. Zanthoxylum = No. 72
 179. Miscanthus sinensis Anderss. (836)
 180. Benzoin commune Rehd., or B. glaucum Sieb. & Zucc., or B. supercostatum (Lect.)
 Rehd. See also Lindera, No. ~~239~~ 628
 181. Medicago
 182. Osmunda regalis Linn. (412)
 183. Albizzia kalkora Prain
 184. Rosa Roxburghii Franch. (2)
 185. Rubus = No. 23
 186. Lespedeza = No. 21
 187. Hypericum attenuatum Choisy, or H. japonicum Thunb., or H. patulum Thunb., or
 H. p. var. Henryi Vetch
 188. Desmodium racemosum (Thunb.) DC. (204)
~~189. Pollinia~~ 189. Pollinia
 190. Bambusa
 191. Mosla (334)
 192. Thea caudata (Wall.) Seem., or T. Grijsii (Hance) Kuntze, or T. oleosa Lour., or
 T. Pitcardii (Stuart) Rehd., or T. sinensis Linn.
 194. Eurya acuminatissima Merr. (656)
 195. Phyllostachys puberula Munro
 196. Spiraea japonica Linn. f. var. Fortunei Rehd., or S. j. Thunb. var. acuminata Fr.
 197. Polygonum aviculare Linn., or P. barbatum Linn. var. gracile (Danser) Steward, or
 P. caespitosum Blume, or P. campanulatum Hook. f. var. likiangense (W. W. Sm.)
 Steward, or P. capitatum Ham., or P. chinense Linn., or P. cuspidatum Sieb. &
 Zucc., or P. cymosum Trev., or P. Dielsii Levl., or P. dissitiflorum Hemsl., or
 P. excurrens Steward, or P. Fagopyrum Linn., or P. Hydropiper Linn. var. flaccidum
 (Meisn.) Steward, or P. japonicum Meisn., or P. lapathifolium Linn., or P. limicola
 Sam., P. macranthum Meisn., or P. macrophyllum D. Don, or P. orientale Linn., or
 P. minus Huds., or P. nepalense Meisn., or P. perfoliatum Linn., or P. runcinatum
 Ham., or P. senticosum (Meisn.) Franch. & Sav., or P. strigosum R. Br. var. mur-
icatum (Meisn.) Steward, or P. sagittifolium Levl. & Van., or P. Thunbergii
 Sieb. & Zucc., or P. viscosum Ham.
 198. Achyranthes aspera Linn.
 199. Galium aparine Linn. (109)
 201. Sedum
 202. Litsea pungens Hemsl.
 203. ~~Arthraxon hispidus (Thunb.) Makino // or // Vanceolatus Hook. f. // Pollinia (35)~~
 204. Arthraxon hispidus (Thunb.) Makino (519)
 205. Bambusa
 206. Rubus = No. 23
 208. Benzoin-glaucum Sieb. & Zucc. (88)
 209. Morus
 210. Arundinella anomala Steud. (215)
 211. Cunninghamia lanceolata Hook.
 212. Phyllostachys puberula Munro
 213. Populus nigra Linn.
 214. Hemerocallis

215. Trachycarpus excelsus Wendl.
 216. Pueraria Thunbergiana Benth.
 217. Akebia lobata var. australis Diels
 218. Polygonum caespitosum Blume (385)
 219. Sambucus javanica Blume
 220. Rubus = No. 23
 221. Brassica
 222. Salix = [No. 56] (33) longiflora Anders.
 223. Phytolacca
 224. Vitis pentagona Diels & Gilg us
 225. Osmanthus fragrans Lour., or O. serrulata Rehd.
 226. Lithocarpus (692)?
 227. Lactuca = No. 117.
 228. Saussurea.
 229. Spodiopogon cotulifer (Thunb. Hack. (347)
 232. Bambusa
 233. Lactuca = No. 117
 234. Celtis = No. 111
 235. Viburnum betulifolium Batalin, or V. corylifolium Hook.f. & Thoms., or V. cylindricum Hamilt., or V. fallax Graeber, or V. foetidum Wall. var. rectangulum Rehder, or V. propinquum Hemsl. = No. 154
 236. Chaetochloa lutescens Stuntz (289)
 237. Arundinella anomala Steud. (215)
 238. Quercus acutissima Caruth. (315)
 239. Benzoin Lindera = No. 628
 241. Anthogonium
 242. Rubus inominatus S. Moore (6)
 246. Geum strictum Ait. (102)
 247. Parietaria
 248. Elaeagnus lanceolata Warb. subsp. grandifolia Serv. (666)
 249. Helianthus annuus Linn.
 250. Miscanthus sinensis Anders.
 252. Rosa = No. 5
 253. Smilax china Linn., or S. scobinicaulis Wright
 254. Coriaria sinica Miq. (9)
 255. Themeda triandra Forsk. (210)
 256. Cunninghamia lanceolata Hook.
 257. Agropyron ciliare Fr., or A. semicostatum Nees
 258. Symplocos lancifolia Sieb. & Zucc., or S. laurina (Retz.) Wall., or S. paniculata Miq., or S. setchuensis Brand, or S. stellaris Brand
 259. Zea Mays Linn.
 260. Rhus = No. 16
 261. Castanea mollissima Blume (27)
 262. Zea Mays Linn.
 263. Salix longiflora Anders. (33)
 264. Morus
 265. Artemisia lactiflora Wall.
 268. Aleurites Fordii Hemsl.
 269. Gleditsia macrantha Desf.
 270. Castanea = No. 70
 271. Berchemia trichoclada Hand.-Maz. var. leioclada Mand.*Maz.
 273. Castanea = No. 70
 274. Arundinella anomala Steud. (215)
 275. Paederia chinensis Hance, or P. foetida Linn.
 276. Paederia = No. 275
 277. Sanicula europaea Linn. (103)
 278. Dryopteris arida O. Ktze., or D. brunnea (Wall.) C.Chr., or D. decipiens

- O. Ktze., or D. erythrosora O. Ktze., or D. Esquirolii Christ., or D. Handelii C. Christ., or D. nipponicum (Fr. & Sav.) C. Chr., or D. rampans (Baker) C. Chr., or D. sophoroides O. Ktze.
279. Polygonum ~~caespitosum/lythre~~ = No. 197
280. Corylus chinensis Franchet
281. Smilax = No. 253
282. Rhus = No. 16
283. Carex = No. 176
284. Coriaria sinica Miq. (9)
285. Populus nigra Linn.
286. Berchemia ~~lythre~~ = No. 271
287. Fagus longipetiolata Seem., or F. lucida Rehd. & Wils.
288. Hibiscus syriacus Linn. (639)
289. Viola Limprichtiana W. Becker (257)
290. Spiraea = No. 142
291. Rhus punjabensis Stewart var. nucipersica (L.) Schneid. (112)
292. Duchesnea indica Focke (226)
293. Akebia lobata var. australis Diels (87)
294. Arundinella arundinacea DC. (627)
295. ~~Hydrocotyle~~ Hydrocotyle rotundifolia Roxb. (266)
296. Bambusa
298. Houttuynia cordata Thunb. (118)
299. Phyllostachys puberula Munro
302. Chaetochloa (220)
303. Bambusa
304. Quercus glauca Thunb. (692)
305. Quercus = No. 13
307. Panicum Matsumurae Hack. (311)
308. Bambusa
310. Triticum aestivum Linn.
311. Bambusa
313. Rubus setchuenensis Wright (225)
314. Trichomanes
315. Ricinus communis Linn.
316. Liquidambar formosana Hance
317. Rosa microcarpa Lindl. (301)
319. Berchemia trichoclada (R. & W.) Hand.-Maz. var. leioclada Hand.-Maz. (553)
320. Pennisetum alopecuroides (L.) Spreng.
321. Polygonum = No. 197
322. Aster
323. Prunus Persica Batsch. var. nucipersica (L.) Schneid. (105)
324. Panicum Matsumurae Hack.
325. Phyllostachys
326. Hemerocallis
327. Dalbergia balansae Prain, or D. hupeana Hance
328. Dalbergia = No. 59
329. Zizania
330. Machilus
331. Polygonum = No. 197
332. Phyllostachys
333. Justicia
334. Vigna sinensis (L.) Savi ex Hassk. (188)
335. Koelreuteria bipinnata Franchet (354)
336. Perilla
337. Panicum Matsumurae Hack.
338. Vanieria tricuspidata (Bur.) Merr.
339. Phyllostachys
340. Sorghum vulgare Pers. (548)

341. Celtis = No. 111
 342. Justicia.
 343. Calystegia
 344. Vitis pentagona Diels & Gilg
 345. Justicia
 346. Helianthus annuus Linn.
 347. Evodia meliaefolia Benth. (329)
 348. Polygonum caespitosum Blume (381)
 349. Polygonum = No. 197
 350. Rubus setchuenensis Wright (225)
 351. Castanea = No. 70
 352. Oryza sativa Linn.
 353. Lespedeza = No. 21
 354. Acer oblongum Wall. var. concolor Pax (891)
 355. Adenophora capillaria Hemsl. (739)
 356. Glycine Max (L.) Merr. (190)
 357. Polygonum
 358. Clematis lasiantha Maxim. (801)
 360. Viburnum = No. 235
 361. Arthraxon.
 362. Eupatorium (743)
 363. Polygonum campanulatum Hook.f. var. likiangense (W.W.Sm.) Steward (360)
 364. Oryza sativa Linn.
 365. Calamagrostis arundinacea DC. (493)
 366. Smilax = No. 253
 367. Aralia dasyphylla Miq.
 368. Pueraria Thunbergiana Benth. (287)
 369. " " "
 370. Salix longiflora Anders. (33)
 371. Prunus microbotrys Koehne, or P. Persica (L.) Batsch. var. nucipersica (L.)
 Schneid., or P. perulata Maxim.
 372. Lactuca (446)
 373. Origanum vulgare Linn.
 374. Bletilla hyacinthina R. Br.
 375. Hemerocallis
 376. Agrimonia europaea Linn.
 377. Stauntonia (856)
 378. Rhododendron (721)
 379. Rhododendron Buchii Levl., or R. lillieolorum Levl., or R. seriavinii Maxim.,
 or R. stamineum Franchet, or R. Wilsonae Hemsl. & Wils.
 380. Arundinella anomala Steud., or A. arundinacea DC.
 381. Xolisma ovalifolia (Wall.) Rehd. var. lanceolata (Willd.) Rehd. (626)
 382. Quercus glauca Thunb. (643)
 383. Euonymus acanthocarpa var. setchuenensis Franchet, or E. aculeata Hemsl.,
 or E. alatus Regel, or E. Dielsiana Loesen., or E. myriantha Hemsl., or
E. oblongifolia Loes.
 384. Agrimonia europaea Linn. (60)
 385. Eragrostis (237)
 386. Acalypha brachystachya Hornem. (275)
 388. Phyllostachys
 389. Rubus inominatus S. Moore (390)
 390. Vitis pentagona Diels & Gilg
 391. Smilax = No. 253
 392. Populus nigra Linn.
 393. Desmodium catenaria caudata (Thunb.) DC., or D racemosa (Thunb.) DC., or
D. sequex Wall., or D. szechuense (Graib) Schindl.
 394. Acanthopanax evodiaefolius Franch., or A. gracilistylus W.W.Sm., or
A. setchuensis Harms, or A. trifolius (L.) Merr.

395. Clematis = No. 47
396. Benzoin = No. 180
397. Eupatorium (743)
398. Daphniphyllum macropodum Miq. (525)
399. Smilax = No. 253
400. Astilbe chinensis Fr. & Sav. (497)
401. Quercus (846)
402. Viola (232)
403. Clematis grata Wall. var. grandidentata Rehd. & Wils. (601)
405. Viola (620)
406. Hemiboea follicularis Clarke, or H. Henryi Clarke
408. Clematis = No. 47
409. Benzoin (669)
410. Thea = No. 192
411. " (651)
412. Smilax china Linn. (642)
413. Dioscorea pentaphylla Linn. (465)
414. Oxalis (792)
415. Arundinella arundinacea DC. (627)
416. Lysimachia clethroides Duby (98)
417. Rubus = No. 23
418. Rhododendron = No. 379
420. Oryza sativa Linn.
421. quercus = No. 13
422. "
423. "
434. Phyllostachys puberula Munro
435. Spodiopogon cotulifer (Thunb.) Hack. (347)
436. Castanea = No. 70
438. Solanum aculeatissimum Jacq., or S. biflorum Lour., or S. dulcamara Linn.,
or S. lysimachioides Wall., or S. Melongena Linn., or S. nigrum Linn., or
S. verbascifolium Linn.
439. Castanea mollissima Blume (460)
440. Salix Cavalieriei Levl., or S. dictyoneura V. Seem., or S. floccosa Diels,
or S. longiflora Anders., or S. Wallichiana Anders., or S. Wilsonii Seem.
441. Phytolacca
442. Dalbergia = No. 327
443. Acer amplum Rehd., or A. Davidii Franchet, or A. Fabri Hance var. rubrocarpa
~~Vax~~ Metcalf, or A. Fargesii Franchet, or A. laevigata Wall., or A. Maximowiczii
Pax, or A. oblongum Wall., or ~~A.~~ A. o. var. concolor Pax, or A. sinensis Pax,
or A. Wilsonii Rehd., or A. Franchetii Pax
444. Sorbus Folgeneri Rehd. (711)
445. Eurya acuminatissima Merr. (656)
446. Thea Pitardii (C. Stewart) Rehd. (933)
447. Viola (690)
448. Polygonum = No. 197
449. Acer sinensis Pax (431)
450. Arundinella arundinacea DC. (627)
451. Populus nigra Linn.
452. Viburnum = No. 154
453. Rubus setchuenensis Wright (225)
454. Kyllinga brevifolia Robt. (180)
455. Porana racemosa Roxb. (429)
456. Achyranthes aspera Linn.
457. Lobelia (446)
459. Oplismenus (274)
462. Carex = No. 176

463. Prunus Persica (L.) Batsch. var. nucipersica (L.) Schneid. (105)
464. Phaseolus vulgaris Linn.
465. Rubus inominatus S. Moore (6)
466. Miscanthus sinensis Anders. (836)
467. Chaetochloa (220)
468. Siegesbeckia orientalis Linn. (781)
469. Quercus = No. 13
470. Arundinella arundinacea DC. (627)
471. Trachycarpus excelsus Wendl.
472. Phyllostachys
473. Rosa Roxburghii Franch. (466)
475. Albizzia kalkora Prain
476. Agrimonia europaea Linn. (60)
478. Wisteria
479. Dioscorea pentaphylla Linn. (465)
480. Zanthoxylum dissitum Hemsl. (172)
481. Pollinia (351)
482. Phyllostachys
483. Trachycarpus excelsus Wendl.
485. Rubus = No. 23
486. Phyllostachys
487. Hypericum patulum Thunb. (628)
488. Helianthus annuus Linn.
489. Zanthoxylum = No. 72
490. Mallotus barbatus Muell., or M. contubernalis Hance, or M. japonica Muell.-Arg.,
or M. philippinensis Muell., or M. repandus Muell.-Arg.
491. Zanthoxylum dissitum Hemsl. (172)
492. Rondeletia japonica Roth (902)
494. Mosla (334)
495. Phaseolus vulgaris Linn.
496. Cucubalus baccifer Linn.
497. Zizyphus jujuba Mill. var. inermis (Bge.) Rehd. (307)
501. Digitaria sanguinalis (L.) Scop. (217)
502. Actinidia
503. Sorbus calonura Rehder (605)
504. Fragaria orientalis Loes. (357)
505. Actinidia callosa Lindley (136)
506. Vitis pentagona Diels & Gilg
507. Cucurbita Pepo Linn. (19)
508. Arundinella anomala Steud. (215)
509. Rhus = No. 16
510. Cedrela sinensis Juss.
511. Viola (678)
512. Vitis (596)
513. Arthraxon hispidus (Thunb.) Mak. (519)
514. Ampelopsis c.f. Watsoniana Wils. (364)
515. Lactuca (435)
516. Clerodendron trichotomum Thunb. var. Fargesii Rehder (593)
517. Rubus setchuenensis Wright (225)
518. Eurya acuminata DC., or E. acuminatissima Merr., or E. glandulosa Merr., or
E. Groffii Merr., or E. nitida Korth.
519. Benzoin (669)
521. Tilia tuan Szysz. (595)
522. Akebia (87)
523. Viburnum = No. 154
524. Buddleia Davidii Franch.
528. Berchemia trichoclada (R.&W.) Hand.-Maz. var. leioclada Hand.-Maz. (553)
529. Tovara virginiana (L.) Rafin. var. filiformis (Thunb.) Steward (310)

530. Paulownia Fortunei Hemsl.
531. Rubus setchuenensis Wright (225)
532. Rosa Rubus Levl. & Van. (462)
533. " " "
534. Bambusa
535. Olematis = No. 47
536. Cornus capitata Wall., or C. controversa Hemsl., or C. parviflora Chien
542. Spiraea japonica Linn.f. var. Fortunei Rehd., or S. japonica Thunb. var. acuminata Franchet
543. Rubus = No. 23
544. " "
545. Arthraxon hispidus (Thunb.) Makino (519)
546. Prunus communis Arcang.
547. Smilax = No. 253
548. Coleus
549. Aster trinervius Roxb. (744)
551. Begonia fimbriatipula Hance
552. Berchemia trichoclada Hand.-Maz. var. leioclada Hand.-Maz.
554. Lophanthus rugosus F. & H. (715)
555. Juglans regia Linn.
556. Ilex dubia Trel. var. seudomacropoda Loes., or I. macrocarpa Oliver, or I. microcca Maxim., or I. myrsinoides Levl., or I. Pernyi Franch. var. Veitchii Rehd., or I. pseudomacropoda Loes., or I. purpurea var. Oldhamii (Mig.) Loes., or I. triflora Blume var. loffiana Rolfe, or I. triflora var. vitridis (Champ.) Loes., or I. Tutcheri Merr., or I. yunnanensis Franch.
557. Acer = No. 443
562. Berchemia trichoclada Hand.-Maz. var. leioclada Hand.-Maz.
563. " " "
564. Thea = No. 192
565. Albizzia
567. Lindera (253)
568. Viola Limprichtiana W. Becker (257)
569. Stellaria
570. Actinidia callosa Lindl., or A. chinensis Planch., or A. coriacea Lindl. var. Henryi Maxim.
571. Chaetochloa lutescens (Weigel) Stuntz (289)
572. Vigna sinensis Savi ex Hassk. (188)
573. " " "
575. Desmodium racemosum (Thunb.) DC. (204)
576. Miscanthus sinensis Anders.
577. Vigna sinensis (L.) Hassk.
578. Polygonum chinense Linn. (552)
579. Eremochloa ophioides (Munro) Hack. (890)
580. Vitis pentagona Diels & Gilg
581. Phyllostachys
582. Vigna sinensis (L.) Hassk.
583. Sapium sebiferum Roxb.
584. Artemisia lactiflora Wall.
585. Miscanthus sinensis Anders. (836)
586. " " "
588. Albizzia
589. Scirpus
590. Vigna sinensis (L.) Hassk.
591. Arachis hypogoea Linn.
592. Arthraxon hispidus (Thunb.) Makino (519)
593. Erianthus (557)
594. Vitex Negundo Linn.

595. Morus
596. Albizzia
597. Impatiens aristulata Hook.f.
598. Desmodium = No. 393
599. Artemisia lactiflora Wall.
600. Sapium sebiferum Roxb.
602. Lagenaria
603. "
604. Berchemia trichoclada Hand.-Maz. var. leioclada Hand.-Maz.
605. Lonicera Henryi Hemsl., or L. japonica Thunb., or L. ligustrina Wall., or L. macrantha DC., or L. pileata Oliver, or L. similis Hemsl. var. Delavayi (Franch.) Rehd.
606. Carpinus Fargesiana Winkl., or C. kweichowensis Hu, or C. laxiflora var. macrostachya Oliver, or C. tungtzeensis Hu, or C. Wilsoniana Hu
607. Acanthopanax evodiaefolius Franchet, or A. gracilistylis W.W.Sm., or A. setchuenensis Harms, or A. trifoliatum (L.) Merr.
608. Coriaria sinica Miq. (9)
609. Quercus = No. 13
610. "
611. Setaria italica Beauv.
612. Pennisetum alopecuroides (L.) Spreng.
613. Artemisia lactiflora Wall.
614. Dioscorea bulbifera Linn. (64)
615. Arundinella anomala Steud., or A. arundinacea DC.
616. Clematis montana Buch.-Ham. (501)
617. Dryopteris = No. 278
618. Athyrium Atkinsoni Bedd. var. Andersoni Clarke (838)
619. Thea oleosa Lour. (610)
620. Pedicularis (491)
621. Kerria japonica DC. (242)
622. Polygonum = No. 197
623. Astilbe chinensis F. & Z. (497)
624. Mahonia Sheridiana Schneid.
625. Polygonatum cirrhifolium Royle, or P. multiflorum var. longigolium
626. Rhododendron = No. 379
627. Viburnum = No. 235
628. Lindera communis Hemsl., or L. glauca Blume, or L. Prattii Gamble, or L. touyenense Levl.
629. Ilex pseudomacropoda Loesen. (405)
630. Benzoin = No. 180
631. Photinia amphidoxa (Schneid.) Rehd. & Wils., or P. Beauverdiana Schneid. var. notabilis Rehd. & Wils., or P. glabra Maxim., or P. serrulata Lindl., or P. villosa DC., or P. v. var. sinica Rehd. & Wils., or P. v. var. setchuenensis Franch. (700)
632. Symplocos setchuenensis Brand (486)
633. Litsea (521)
634. Urticac. (278)
635. Lysimachia cketroides Duby (633)
636. Salix floccosa Diels (527)
637. Viburnum = No. 235
638. Tovaria yunnanensis Franchet (513)
639. Fagus = No. 287
642. Sorbus arnoides Rehder (420)
643. Bambusa
644. Impatiens aristulata Hook.f.
645. Carex = No. 176
648. Ilex = No. 556
649. "

651. Polygonum campanulatum Hook.f. var. likiangense (W.W.Sm.) Steward (360)
652. Chrysanthemum
653. Polygonum runcinatum Hamilt. ex D. Don (537)
654. Sanicula europaea Linn.
655. Senecio ligularia Hk. (655)
656. Euphorbia chrysocoma glaucophylla Levl.
657. Polygonum runcinatum Hamilt. ex D. Don (537)
658. Rubus = No. 23
660. Clematis = No. 47
661. " "
662. Gaultheria Cumingiana Vidal. (365)
663. Polygonum = No. 197
664. Rubus = No. 23
665. Photinia villosa (Thunb.) DC. var. sinica Rehd. & Wils. (518)
666. Oryza sativa Linn.
667. " "
668. " "
669. Trichomanes
670. Sacciolepis indica (L.) Chase (723)
671. Polygonum = No. 197
672. Fraxinus chinensis Roxb.
673. Cucurbita Pepo Linn.
674. Phyllostachys
678. Illicium Fargesii F. & G. (516)
679. Clerodendron trichotomum Thunb. var. Fargesii Rehd. (593)
681. Asarum Forbesii Maxim.
682. Lysimachia paradiformis Franch. (127)
683. Artemisia lactiflora Wall. (671)
684. Elaeagnus lanceolata Warb. subsp. grandifolia Serv. (666)
685. Acer = No. 443
687. Ficus congesta Levl. & Van., F. formosana Maxim., F. foveolata Wall., F. f. var. Henryi King, F. gibbosa Blume, F. heteromorpha Hemsl., F. hirta Vahl, F. kwangtungensis Merr., F. lacor Ham., F. Martini Levl., F. pyriformis Hook, & Arn., F. silhetensis Miq., F. stenophylla Hemsl., F. Tsiangii Merr., F. variolosa Lindl., or F. Wightiana Benth.
689. Fagus = No. 287
693. Elaeagnus Henryi Warb., E. lanceolata Warb., or E. l. subsp. grandifolia Serv.
694. Acer = No. 443
698. Illicium Fargesii F. & G. (516)
699. Carpinus = No. 606
700. Daphniphyllum macropodum Miq. (525)
704. Clerodendron foetidum Bunge, C. mandarinorum Diels, or C. trichotomum Thunb. var. Fargesii Rehd.
705. Rhododendron (721)
706. Symplocos setchuenensis Brand (486)
707. Quercus glauca Linn. (874)
708. Lithocarpus spicata (Sm.) Rehd. & Wils. var. chittagonga (King) Rehd. (679)
709. Ficus = No. 687
710. Eurya = No. 518
712. Quercus = No. 13
713. Symplocos stellaris Brand (767)
714. Rubus ampliflorus Levl. & Van. (464)
715. Ficus = No. 687
716. Litsea (682)
717. Rhus = No. 16
718. Quercus = No. 13
720. Aralia dasyphylla Miq.

721. Quercus = No. 13
723. " "
724. Ficus = No. 687
728. Thea = No. 192
730. Aleurites Fordii Hemsl.
731. Fagus = No. 287
732. Isachne globosa (Thunb.) O. Ktze. (406)
733. Quercus glauca Thunb. (692)
734. Castanea mollissima Blume (460)
735. " "
736. " (129)
737. Thea = No. 192
738. Machilus
739. Rosa = No. 5
741. Stauntonia (856)
742. Michelia (764)
743. Ilex micrococca Maxim. (713)
744. Agrimonia europaea Linn.
745. Symplocos setchuenensis Brand (486)
746. " " "
748. " (700)
749. Carex = No. 176
750. Clerodendron = No. 704
752. Viburnum = No. 235
753. Rhus = No. 16
754. " (763)
755. Eurya acuminatissima Merr. (656)
756. Euonymus (881)
757. Castanopsis tibetana Hance (746)
758. " "
759. Castanopsis hystrix DC., C. neo-Cavaleriei A. Camus, C. platycantha Rehd. & Wils., or C. tibetana Hance
760. Bambusa
761. " "
762. Corylopsis Veitchiana Bean (571)
763. Carpinus = No. 606
764. Benzoin = No. 180
765. Desmodium racemosum (Thunb.) DC. (204)
767. Quercus glauca Thunb. (265)
769. Michelia (764)
770. Arundinella = No. 615
771. Calamagrostis Langsdorfii Trin. (787)
772. Ficus foveolata Wall. (75)
774. Teucrium (510)
775. Gardenia jasminoides Ellis (779)
776. Schefflera Delavayi Harms (776)
777. Rubus ampliflorus Levl. & Van. (464)
778. Perilla
779. Rubus = No. 23
781. Lophatherum gracile Brongn. (160)
782. Polygonum = No. 197
784. Pilea angulata Hand.-Maz.
785. Vitis pentagona Diels & Gilg
786. Mallotus = No. 490
787. Vitis pentagona Diels & Gilg
788. Lithocarpus spicata (Sm.) Rehd. & Wils. var. chittagonga (King) Rehd. (710)
789. Cedrela sinensis

790. Quercus = No. 13
791. Bambusa .
792. Lindera touyunene (Levl.) Rehd. (845)
793. Stauntonia (856)
794. Meliosma aff. Stewardii Merr. (135)
795. Stauntonia (856)
797. Actinidia = No. 570
798. Litsea . (430)
800. Mahonia Sheridaniana Schneid.
801. Bletilla hyacinthina Reichb.f. (165)
802. Impatiens (325)
803. Quercus acutissima Carruth. (315)
804. Desmodium = No. 393
805. Hosta caerulea (Andr.) Tratt. (865)
806. Phyllostachys puberula Munro
807. Senecio ligularia Hook., or S. scandens DC.
808. Ischaemum ciliare Retz. (350)
809. Sapium sebiferum (L.) Roxb. (551)
810. Rubia cordifolia Linn.
811. Eriobotrya japonica Lindl. (693)
812. Celtis = No. 111
813. Rosa laevigata Mx. (951)
814. Polygonum = No. 197
815. Paederia = No. 275
816. Cedrela sinensis Juss.
817. Actinidia = No. 570
818. Vitis pentagona Diels & Gilg
819. Belamcanda chinensis DC. (182)
820. Morus
821. Solanum Melongena Linn.
822. Quercus acutissima Carruth. (315)
839. Polygonum = No. 197
840. Lonicera = No. 605
844. Gerardina palmata Gaudich (852)
845. Eremochloa ophiuroides (Munro) Hack. (890)
846. Actinidia = No. 570
849. Morus
850. Viburnum = No. 235
852. Trema
854. Morus
855. Brassica
856. Morus
857. Betula luminifera Winkl. (440)
860. Elaeocarpus Duclouxii Gagnep. (861)
861. Ficus = No. 687
862. Litsea . (349)
863. Cedrela sinensis
864. Thea = No. 192
865. Themeda = No. 31
866. Carex cruciata Wahl. (467)
867. Benzoin = No. 180
868. Lindera = No. 628
869. "
870. Sageretia Henryi Dunn & Spr. (918)
871. Rhododendron aff. Seniavinii Maxim. (822)

872. Hydrangea anomala D. Don, H. aspera D. Don, H. longipes Franchet,
H. opuloides (Lam.) K. Koch. var. hortensia (Sieb.) Dipp., H. paniculata
 Sieb., H. Rosthornii Diels, H. strigosa Rehd., or H. s. var. angustifolia Rehd.
875. Castanea = No. 70
877. " (412)
878. Quercus acutissima Carruth. (215)
879. Sanicula europaea Linn. (178)
880. Miscanthus sinensis Anders.
881. Carex ligulata Nees (166)
882. Litsea (521)
886. Phyllostachys puberula Munro
887. Pterocarya Paliurus Batalin, or P. stenoptera DC.
888. Sophora japonica Linn.
889. Miscanthus sinensis Anders. (836)
890. Rubus ampliflorus Levl. & Van. (464)
891. Clematis = No. 47
892. Phyllostachys
893. "

FUNGI OF KIANGSI PROVINCE, CHINA

S. Y. Cheo

941.	9.15.32	Lenzites betulina L. ex Fr.
1082	9.28.32	Lenzites betulina L. ex Fr.
976	9.19.32	Coriolus versicolor (L. ex Fr.) Quel.

894. Gommelina communis Linn.
 895. Lactuca denticulata Maxim., L. elata Hemsl., L. indica Linn., or L. Raddiana Maxim.
 896. Perilla ocymoides Linn.
 897. Polygonum cuspidatum S. & Z., P. dissitiflorum Hemsl., P. Fagopyrum Linn.,
P. Hydropiper L. var., P. lapathifolium Linn., P. perfoliatum Linn.,
P. nepalense Meisn., P. sagittatum Linn., or P. strigosum R. Br. var. pedunculare
 898. Plectranthus japonicus Koidz., or P. racemosus Hemsl.
 899. Dioscorea batatas Decne., D. belophylloides Prain & Burkill, D. bulbifera Linn.,
D. Collettii Hook.f., H. doryophora Hance, or D. glabra Dode
 900. Carpesium abrotanoides Linn., or C. cernuum Linn.
 901. Hemerocallis fulva Linn.
 902. Justicia procumbens Linn., or J. quadrifaria Wall.
 903. Arundinella anomala Steud.
 904. Prunus Persica (L.) Stokes
 905. Dalbergia hupeana Hance, or D. paniculata Roxb.
 906. Zanthoxylum alatum Roxb., Z. cuspidatum Champ., Z. ~~sp.~~ Schinifolium S. & Z., or
Z. setosum Hemsl.
 907. Smilax china Linn., S. discotis Warb., S. glabra Roxb., S. glauco-china Warb.,
S. herbacea Linn., or S. megalantha Wright
 908. Lespedeza bicolor Turcz., L. Buergeri Miq., L. Davidi Franch., L. formosa Koehne,
L. striata H. & A., or L. tomentosa Sieb.
 909. Rhododendron Farrarae Tate, R. Fordii Hemsl., R. Mariesii Hemsl. & Wils.,
R. ovatum Pl., or R. Simsii Pl.
 910. Platycarya strobilacea S. & Z.
 911. Viburnum betulifolium Batalin, V. erosum Thunb., V. tomentosum Thunb., or V. t.
var. cuspidatum Maxim.
 912. Phyllostachys bambusoides Sieb., P. congesta Rendle, or P. heteroclada Oliver
 913. Indigofera ambylantha Craib, I. Carlesii Craib, I. Kirilowii Maxim., or
I. pseudotinctoria Mats.
 914. Vitis Davidii Rom. du Caill., V. reticulata Pamp., or V. Thunbergii S. & Z.
 915. Spodiopogon cotulifer (Thunb.) Hasek., or S. sibiricus Trin.
 916. Lespedeza = No. 908
 917. Peucedanum -
 918. Hydrangea chinensis Maxim., H. paniculata Sieb., or H. umbellata Rehd.
 919. Miscanthus jacinicus (Thunb.) And., or M. sinensis And.
 920. Dryopteris arida O. Ktze., D. Beddomei (Bak.) O. Ktze., D. decipiens O. Ktze.,
D. decurrenti-pinnata Ching, D. erythrosora (Eat.) O. Ktze., D. fuscipes C. Chr.,
D. glanduligera O. Ktze., D. gymnophylla (Bak.) C. Chr., D. lacera (Thunb.)
O. Ktze., D. laxa (Fr. & Sav.) C. Chr., D. parasitica (Linn.) O. Ktze.,
D. sophoroides (Thunb.) O. Ktze., D. sparsa (Don) O. Ktze., or D. varia O. Ktze.
 921. Spodiopogon = No. 915
 922. Ilex cornuta Lindl. & Paxt., I. latifolia Thunb., I. pedunculosa Miq.,
I. purpurea var. Oldhamii (Miq.) Loesen., I. rotunda Thunb., or I. Wilsonii Loes.
 923. Dalbergia = No. 905
 924. Clematis apiifolia DC., C. brevicaudata DC./ var. lissocarpa Rehd., C. chinensis
Osbeck, C. grata Wall. var. grandidentata Rehd. & Wils., or C. Pavoliniana Pamp.
 925. Miscanthus = No. 919
 926. Helianthus tuberosus Linn., or H. annuus Linn.
 927. Lespedeza = No. 908.
 928. Mosla dianthera Maxim., or M. lanceolata Maxim.
 929. Albizia kalkora Prain
 930. Lespedeza = No. 908
 931. Themeda gigantea (Cav.) Hack., or H. triandra Forsk.
 932. Arundinella = No. 903

933. Phyllostachys = No. 912
 934.
 935. Phyllostachys = No. 912
 936.
 937.
 938.
 939.
 940. Phyllostachys = No. 912
 941. Quercus acutissima Carr., Q. aliena Blume, Q. glauca Thunb., or Q. serrata Thunb.
 942.
 943.
 944. Aralia chinensis Linn.
 945. Sorghum
 946. Miscanthus = No. 919
 947. Cedrela
 948. Phyllostachys = No. 912
 949. Vitis = No. 914
 950. Carex brunnea Thunb., C. chikungana L. H. Bailey, C. chinensis Retz., or
C. Doniana Spreng.
 951. Loropetalum chinense R. Br.
 952. Isachne polygonoides (Lam.) Doell.
 953. Sapium japonicum Pax & Hoffm., or S sebiferum Roxb.
 954. Ficus Boileyi Hutch., F. formosana Maxim., F. foveolata Wall., F. heteromorpha
Hemsl., F. Martini Levl./ & Van., F. pandurata Hance, or F. pumila Linn.
 955. Albizia kalkora Prain
 956. Lespedeza = No. 908
 957. Rubus kulingianus Bailey, R. palmatus Thunb., R. parvifolius Linn.,
R. phoenicolasius Maxim., or R. tephrodes Hance
 958. Arachis hypogaea Linn.
 959. Glochidion Fortunei Hance, or G. puberum (L.) Hutch.
 960. Ipomoea hederacea Linn.
 961. Ficus = No. 954
 962. Phaseolus chrysanthus Savi
 963. Morus alba Linn.
 964. Grewia biloba G. Don, or G. b. var. parviflora Hand.-Maz.
 965. Pistacia chinensis Bunge
 966. Achyranthes bidentata Blume
 967. Pinus Massoniana Linn., or P. tabulaeformis Carr.
 968. Sapium = No. 953
 969. Phyllostachys = No. 912
 970. Liquidambar formosana Hance
 971. Eleocharis acicularis R. Br., or E. afflata Steud.
 972. Quercus = No. 941
 973.
 974.
 975.
 976.
 977.
 978.
 979.
 980.
 981. Zanthoxylum = No. 906
 982.
 983.
 984.
 985. Polygonum = No. 897
 986.
 987.
 988.

989. Platycarya strobilacea S. & Z.
 990.
 991.
 992.
 993.
 994.
1008. Agrimonia eupatoria Linn.
 1009. Salix Mesneyi Hance
 1010. Elaeagnus pungens Thunb.
 1011. Polygonum = No. 897
 1012. Dianthus
 1013. Rhododendron = No. 909
 1014. Vitis = No. 914.
 1015. Astilbe chinensis Fr. & Sav.
 1016. Lactuca = No. 895
 1017. " "
 1018. Rhus japonica Linn., R. semialata Murray, R. sylventris Sieb. & Zucc., or
 R. trichocarpa Miq.
 1019. Erodium
 1020. Spiraea Blumei Don, S. chinensis Maxim., S. japonica Linn.f. var. Fortunei Rehd.
 1021. Origanum vulgare Linn.
 1022. Euphorbia pekinensis Rupr.
 1023. Phyllostachys = No. 912
 1024. Lonicera Henryi Hemsl., L. japonica Thunb., or L. modesta Rehd.
 1025. Rhus = No. 1018
 1026. Chrysanthemum coronarium var. spatiosum Bail., C. indicum Linn., or C. leucanthemum
 1027. Aster Fordii Hemsl., A. indicus Linn., A. trinervius Roxb.
 1028. Lysimachia clethroides Duby, L. congestiflora Linn., ~~of~~ L. drynarifolia Fr.,
 or L. Fortunei Maxim.
 1029. Aster = No. 1027
 1030. Arundinella ~~///~~ anomala Steud.
 1031. Rhus = No. 1018
 1032.
 1033. Orchidac.
 1034.
 1035. Phytolacca
 1036. Bletilla hyacinthina R. Br.
 1037. Trema cannabina Lour., or T. dulciana
 1038. Rubus = No. 957
 1039. Perilla ocymoides Linn., or P. lanceolata Maxim.
 1040. Mosla = No. 928
 1041. Dioscorea = No. 899
 1042. Artemisia anomala S. Moore, A. lactiflora Wall., or A. vulgaris Linn.
 1043. Lactuca = No. 895
 1044. Adenophora polymorpha Ledeb., or A. verticillata Fisch.
 1045. Vicia kulingiana Bailey, or V. unijuga A. Br.
 1046. Fragaria
 1047. Vigna cylindrica(L.) Merr., or V. sinensis (L.) Hassk.
 1048. Bletilla hyacinthina R. Br.
 1049. Arctium ?
 1050. Morus alba Linn.
 1051. Rubia cordifolia Linn.
 1052. Hibiscus mutabilis Linn., or H. syriacus Linn.
 1053. Artemisia = No. 1042
 1054. Cirsium arvense (L.) Scop., or C. chinense Champ.

1055. Smilax = No. 907
 1056. ~~Poa~~ Pueraria ~~Thunbergiana~~ Thunbergiana Benth.
 1057. Rhododendron = No. 909
 1058. Lobelia chinensis Lour., or L. pyramidalis Wall.
 1059. Setaria italica Beauv., S. lutescens (Willd.) Stuntz, S. palmifolia Stapf,
 or S. viridis Beauv.
 1060. Pimpinella
 1061. Ailanthus altissima Swingle
 1062. Akebia lobata var. australis Diels
 1063. Polygonum caespitosum Blume (See also No. 897)
 1064. Melia azedarach Linn.
 1065. Saururus
 1066. Rhamnella Martinii (Lev.) Schneid., or R. obovalis Schneid.
 1067. Quercus = No. 941
 1068. Clematis = No. 924
 1069.
 1070. Celtis Biondii Pamp., or C. sinensis Pers.
 1071. Spodiopogon = No. 915
 1072. Solanum dulcamara Linn., or S. melongena Linn.
 1073. Vigna = No. 1047
 1074. Salix Mesneyi Hance
 1075. Viburnum = No. 911
 1076. Benzoin glaucum Sieb. & Zucc., B. reflexum Rehd., B. rubronervium (Gamble) Rehd.,
 or B. umbellatum Rehd.
 1077.
 1078. Berchemia kulingensis Schneid.
 1079. Celtis = No. 1070
 1080. Rhynchosia volubilis Lour.
 1081. Meratia
 1082. Quercus = No. 941
 1083. Albizzia kalkora Prain
 1084. Glycine Max (L.) Merr.
 1085. Pyrus calleryana Decne., or P. serrulata Rehd.
 1086.
 1087. Quercus = No. 941
 1088. Rosa chinensis Jacq., R. Henryi Bouleng., R. Laevigata Michx., R. microcarpa Lindl.,
 or R. multiflora Thunb. var. cathayensis Rehd. & Wils.
 1089.
 1090. Cedrela
 1091. Ficus = No. 954
 1092. Dioscorea = No. 899
 1093. Pyrus = No. 1085
 1094.
 1095. Cedrela
 1096.
 1097.
 1098. Asparagus
 1099. Elaeagnus ~~///~~ ~~///~~ pungens Thunb.
 1100. Portulaca oleracea Linn.

FUNGI OF ANHWEI PROVINCE, CHINA
COLL. BY S.Y. CHEO

No.	Date	Name
1242	10.14.32	<i>Lenzites betulina</i> L. ex Fr.
1260	10.15.32	<i>Coriolus versicolor</i> (D. ex Fr.) Quel.
1294	10.17.32	<i>Bjerkandera adusta</i> (Willd. ex Fr.) Karst.
1295	10.17.32	<i>Bjerkandera adusta</i> (Willd. ex Fr.) Karst.
1326	10.19.32	<i>Coriolus hirsutus</i> (Wulf. ex Fr.) Quel.
1601	11.27.32	<i>Polyporus Korthalsii</i> Lev.
1424	10.27.32	<i>Lenzites versatilis</i> (Berk.) Sing.
1529	11.10.32	<i>Phellinus scruposus</i> (Fr.) Pat.
1430	10.28.32	<i>Auricularia polytricha</i>

约为焦裕源 (S. Y. Cheo)
Died in 1970.

HOST LIST * ANHWEI COLLECTION * 1932 (S. Y. Cheo Field Nos.)

1101. Spodiopogon cotulifer (Thunb.) Hack., or S. sibiricus Trin.
1102. Polygonum caespitosum Blume var. longisetum (DeBruyn) Steward, P. cuspidatum Sieb. & Zucc., P. dissitiflorum Hemsl., P. excurrens Steward, P. Fagopyrum Linn., P. Hydropiper Linn. var. flaccidum (Meisn.) Steward, P. japonicum Meisn., P. lapathifolium Linn., P. multiflorum Thunb., P. nepalense Meisn., P. orientale Linn., P. perfoliatum Linn., P. sagittatum Linn., P. senticosum Meisn., P. strigosum R. Br. var. pedunculare (Wall. ex Meisn.) Steward, or P. Thunbergii Sieb & Zucc.
1103. Phragmites communis Trin.
1104. Setaria italica Beauv., ~~Setaria~~ S. lutescens (Willd.) Stuntz, S. Matsumurae (Hack.) ?, S. palmifolia Stapf, or S. viridis Beauv.
1105. Rhus semialata Murr., R. sylvestris Sieb. & Zucc., R. trichocarpa Miq., or R. verniciflua Stokes
1106. Commelina communis Linn.
1107. Oedrela sinensis Juss.
1108. Polygonum = 1102
1109. Morus alba Linn., or M. cathayana Hemsl.
1110. Ulmus
1111. Perilla ocymoides Linn.
1112. Prunus Dielsiana Schneid., P. glandulosa Thunb., P. japonica Thunb., P. Persica Stokes, P. perulata Maxim., ~~P. pseudocerasus~~ Lindl., P. P. serrulata Fr., or P. Wilsoniana Schneid.
1113. Aster fastigiatus Fisch., A. Fordii Hemsl., A. holophyllus Hemsl., A. indicus Linn., A. scabra Thunb., or A. trinervius Roxb.
1114. Rhus = 1105
1115. Lonicera fragrantissima Carr., L. Henryi Hemsl., L. japonica Thunb., L. Maackii Maxim., or L. modesta Rehder
1116. Peucedanum decursivum (Miq.) Maxim.
1117. Dioscorea batatas Decne., D. belophylloides Prain & Burk., D. bulbifera Linn., D. Collettii Hook.f., D. doryophora Hance, D. glabra Dode, or D. opposita Thunb.
1118. Polygonum = 1102
1119. Lespedeza bicolor Turcz., L. Buergeri Miq., L. Davidi Franch., L. Fordii Schindl., L. formosa Koehne, L. inschanica Schindl., L. juncea Pers., L. sericea (Thunb.) Miq., L. striata Hook. & Arn., L. tomentosa Sieb., or L. virgata DC.
1120. Lespedeza = 1119
1121. "
1122. Miscanthus japonicus (Thunb.) Anders., or M. sinensis Anders.
1123. Rubus Chingii Hu, R. corchorifolius Linn., R. irenaeus Hance, R. kulingianus Bailey, R. Lambertianus Ser., R. pacificus Hance, R. palmatus Thunb., R. parvifolius Linn., R. phoenicolasius Maxim., R. Swinhoei Hance, R. tephrodes Hance, R. Thunbergii Sieb. & Zucc., or R. trianthus Focke
1124. Vigna cylindrica (L.) Merr., or V. sinensis (L.) Hassk.
1125. Bambusa
1126. Benzoin fruticosum Rehd., B. glaucum Sieb. & Zucc., B. reflexum Rehd., B. rubronervium (Gamble) Rehd., or B. umbellatum Rehd.
1127. Carpesium abrotanoides Linn., or C. cernuum Linn.
1128. Digitaria chinensis (Nees) Hitchc., D. Ischaemum (Schrad.) Nash, or D. sanguinalis (L.) Scop.
1129. Lactuca chinensis (Thunb.) Maxim., L. denticulata Maxim., L. elata Hemsl., L. indica Linn., L. raddiana Maxim., or L. versicolor (DC.) Schultz-Bip.
1130. Erodium
1131. Themeda gigantea (Cav.) Hack., or T. triandra Forsk.
1132. Hemerocallis fulva Linn.
1133. ~~Sterculia~~
Capisicum frutescens Linn.

1134. Sterculia
1135. Carex arenicola Schmidt, C. brunnea Thunb., C. chinensis Retz., C. chikungana L. H. Bailey, C. Doniana Spreng., C. gibba Wahl., C. ichnostachya Steud., C. nubigena D. Don, or C. pilosa Scop.
1136. Vanieria tricuspidata Hu
- 1137.
1138. Prunus = 1112
- 1139.
1140. Vitis Davidii Rom. du Caill., V. fagifolia Hu, V. labrusca Linn., V. reticulata Pamp., or V. Thunbergii Sieb. & Zucc.
1141. Eupatorium japonicum Thunb., or E. Lindleyanum DC.
1142. Siegesbeckia orientalis Linn.
1143. Spodiopogon cotulifer (Thunb.) Hack., or S. sibiricus Trin.
1144. Lespedeza = 1119
1145. Artemisia annua Linn., A. anomala S. Moore, A. japonica Thunb., A. lactiflora Wall., A. lavendulifolia Salisb., A. sacrorum Ledeb., or A. vulgaris Linn.
1146. Vigna = 1124
1147. Artemisia = 1145
1148. Ischaemum aristatum Linn., or A ciliare Retz.
1149. Cyperus amuricus Maxim., ~~or~~ C. compressus Linn., C. difformis Linn., C. iria Linn., or C. rotundus Linn.
1150. Salvia chinensis Benth., S. japonica Thunb., S. liguliloba ~~Witt.~~ Sun, S. multiorrhiza Bunge, or S. prionotis Hance
1151. Sagittaria sagittifolia Linn.
1152. Lespedeza = 1119
1153. Populus adenopoda Maxim., or P. tomentosa Carr.
1154. Cocculus trilobus DC.
1155. Fragaria
1156. Eupatorium = 1141
1157. Rubus = 1123
1158. Peucedanum decursivum (Miq.) Maxim.
1159. Artemisia = 1145
1160. Benzoin = 1126
1161. Broussonetia Kaempferi Sieb., or B. papyrifera Vent.
1162. Albizzia kalkora Prain
1163. Agrimonia eupatoria Linn.
1164. Dalbergia hupeana Hance, or D. paniculata Roxb.
1165. Smilax china Linn., S. discotis Warb., S. glabra Roxb., S. glauco-china Warb., S. herbacea Linn., ~~or~~ S. lanceolata, or S. megalantha Wright
1166. Sorbus coloneura Rehd., or S. Folgneri Rehd.
1167. Morus = 1109
1168. Lespedeza = 1119
1169. Vitis = 1140
1170. Impatiens balsamina Linn., or I. textori Miq.
1171. Bambusa
1172. Lactuca = 1129
1173. Glycine max (L.) Merr., or G. ussuriensis Regel & Maack
1174. Quercus acutissima Carr., Q. aliena Bulme, Q. Fabri Hance, Q. glandulifera Blume, Q. glauca Thunb., Q. myrsinieafolia Blume, Q. sclerophylla Lindl., Q. serrata Thunb., Q. Stewardii Rehd., Q. Stewardiana Rehd., or Q. variabilis Blume
1175. Diospyros Lotus Linn.
1176. Stellaria media Cyr., or S. saxatilis Hance
1177. Castanea Henryi (Skan) Rehd. & Wils., C. mollissima Blume, or C. Seguinii Dode
1178. Platycarya strobilacea Sieb. & Zucc.
1179. Vitis = 1140
1180. Moela dianthera Maxim., M. lanceolata Maxim., or M. punctata Maxim.
1181. Liquidambar formosana Hance

1182.
 1183. Platycarya strobilacea Sieb. & Zucc.
 1184.
 1185.
 1186. Pueraria Thunbergiana Benth.
 1187. Scodiopogon = 1101
 1188. Cirsium arvense (L.) Scop., C. chinense Champ., or C. japonicum DC.
 1189. Rhododendron anhweiense Wilson, R. Farrarae Tate, R. Fordii Hemsl., R. Fortunei Lindl., R. Mariesii Hemsl. & Wils., R. molle Sieb. & Zucc., R. ovatum Planch., R. Simsii Planch., or R. sutchuense Franch.
 1190. Evodia glauca Miq., E. ~~hupehensis~~ hupehensis Dode, E. meliaefolia Benth., E. officinalis Dode, or E. rutecarpa Benth.
 1191. Sambucus javanica Blume
 1192. Carex = 1135
 1193. Lespedeza = 1119
 1194. Rubia cordifolia Linn.
 1195. Indigofera ambylantha Craib, I. Carlesii Craib, I. Fortunei Craib, I. Kirilowii Maxim., I. Parkeii Craib, or I. pseudotinctoria Mats.
 1196. Celtis Biondii Pamp., C. Bungeana Blume, or C. sinensis Pers.
 1197. Cynanchum auriculatum Royle, C. chinense R. Br., or C. Forrestii Schlte.
 1199. Eupatorium japonicum Thunb., or Lindleyanum DC.
 1200. Vigna = 1124
 1201. Cedrela
 1202. "
 1203. Trema cannabina Lour., or T. dulcima
 1204. Clematis apiifolia DC., C. Armandi Franch., C. brevicaudata DC., C. chinensis Osbeck, C. florida Thunb., C. grata Wall., C. Henryi Oliver, C. Meyeniana Walp., C. paniculata Thunb., or C. Pavoliniana Pamp.
 1205. Miscanthus = 1122
 1206.
 1207.
 1208.
 1209.
 1210.
 1211.
 1212.
 1213. Phragmites leptostachya Linn., or P. vulgaris (Lam.) Trin.
 1214.
 1215. Rubus = 1123
 1216. Aralia chinensis Linn., or A. cordata Thunb.
 1217. Saussurea glomerata Poir., S. triangulata Trautv. & Mey., or S. venticosa Hance
 1218. Viola betonicifolia Sm., V. diffusa Ging., V. Fukiensis W. Beck., V. grypoceras A. Gray, V. hupeiana Becker, V. japonica Langsd., V. Krugiana W. Beck., V. pinnata Linn., or V. Stewardiana Beck.
 1219. Polygonum = 1102
 1220. Vigna = 1124
 1221. Benzoïn = 1126
 1222. Polygonum = 1102
 1223. Helianthus tuberosus Linn.
 1224. Glycine = 1173
 1225. Artemisia = 1145
 1226. Arundinella anomala Steud.
 1227. Acer Buergeriana Miq., A. Davidi Franch., A. ginnala Maxim., A. Grosseri Pax, A. Oliverianum Pax, A. palmatum Thunb., A. pictum Thunb./
 1228. Tovaria
 1229. Digitaria = 1128
 1230. Dunbaria conspersa Benth., or D. subrhombea Benth.

1231. Glycine = 1173
 1232. Castanea = 1177
 1233. Sanguisorba canadensis Linn., or S. officinalis Linn.
 1234. Arachis hypogaea Linn.
 1235. Phaseolus angularis Wight, P. aureus Roxb., or P. chrysanthus Savi
 1236. Polygonatum multiflorum All.
 1237. Actinidia chinensis Planch., or A. polygama (S? & Z.) Maxim.
 1238. Morus = 1109
 1239. Platycodon grandiflorum A. DC.
 1240. Eupatorium = 1141
 1241.
 1242. Platycarya strobilacea Sieb. & Zucc.
 1243. Quercus = 1174
 1244. Phyllostachys bambusoides Sieb., P. congesta Rendle, P. heteroclada, P. nidularia
 Munro, or P. puberula Munro
 1245. Pennisetum alopecuroides (L.) Spreng.
 1246. Dunbaria = 1230
 1247. Eragrostis elegantula Steud., E. elongata Jacq., E. ferruginea Beauv., E.
interrupta (R. Br.) Beauv., E. japonica Trin., or E. pilosa Beauv.
 1248. Digitaria = 1128
 1249. Symplocos anomala Brand, S. caudata Wall., S. chinensis (L.) Desv., S. congesta
 Benth., S. paniculata (Thunb.) Miq., S. setchuensis Brand, or S. stellaris Brand
 1250. Meliosma myriantha Sieb. & Zucc., M. Oldhami Miq., M. pendens Rehd. & Wils., M.
pilosa Lec., or M. Stewardii Merr.
 1251. Eremochloa villosa Kunth.
 1252. Aster = 1113
 1253. Artemisia = 1145 *Buergeri* Miq., D.
 1254. Desmodium caudatum (Thunb.) DC., D. laxum DC., D. microphyllum DC., D. podocarpum
 DC., or D. racemosum (Thunb.) DC.
 1255. Aster = 1113
 1256. Cucurbita Pepo Linn.
 1257. Sorghum vulgare (Brot.) Pers.
 1258. Setaria = 1104
 1259.
 1260. Liquidambar formosana Hance
 1261. Rubus = 1123
 1262. Castanea = 1177
 1263. Artemisia = 1145
 1264. Gonostegia hirta (Bl.) Miq.
 1265. Grewia biloba G. Don
 1266. Corylopsis platypetala Rehd. & Wils., C. sinensis Hemsl., C. spicata Sieb. & Zucc.,
 or C. Veitchiana Bean
 1267. (Orchid.)
 1268. Vitis = 1140
 1269. Plectranthus glaucicalyx Maxim., P. japonicus Koidz., or P. racemosus Hemsl.
 1270. Morus = 1109
 1271. Polygonum = 1102
 1272. Miscanthus = 1122
 1273. Polygonum = 1102
 1274. Meliosma = 1250
 1275. Calamagrostis epigejos Roth., C. sachalinensis Schmidt, or C. sylvatica DC.
 1276. Artemisia = 1145
 1277. Phragmites = 1213
 1278. Calystegia sepium R. Br.
 1279. Polygonum = 1102
 1280. "
 1281. Aster = 1113

1282. Polygonum = 1102
1283. Hypericum *ascyron* Linn., *H. attenuatum* Choisy, *H. chinensis* Linn., *H. japonicum* Thunb., *H. mutilum* Linn., or *H. Sampsoni* Hance
1284. Setaria = 1104
1285. Artemisia = 1145
1286. Evodia = 1190
1287. Raphanus sativus Linn.
- 1288.
1289. Quercus = 1174
1290. Phyllostachys = 1244
- 1291.
1292. Rhamnus crenata Sieb. & Zucc., *R. dahurica* Pall., *R. globosa* Bunge, *R. utilis* Decne., or *R. Wilsonii* Schneid.
- 1293.
- 1294.
- 1295.
1296. Viola = 1218
1297. Helianthus tuberosus Linn.
1298. Morus = 1109
1299. Plectranthus = 1269
1300. Codonopsis lanceolata
1301. Viburnum betulifolium Batal., *V. dilatatum* Thunb., *V. erosum* Thunb., *V. ichangense* Rehd., *V. macrocephalum*, *V. theiferum* Rehd., or *V. tomentosum* Thunb.
1302. Pennisetum alopecuroides ~~Sw.~~ (L.) Spreng.
1303. Crataegus cuneata Sieb. & Zucc., *C. kulingensis* Sarg., *C. pinnatifida* Bunge, or *C. Wattiana* Hemsl.
1304. Artemisia = 1145
1305. Stellaria = 1176
1306. Alangium chinense (Lour.) Rehd.
1307. Benzoin = 1126
1308. Hemiptelea
1309. Fortunearia sinensis Rehd. & Wils.
1310. Digitaria = 128
1311. Miscanthus = 1122
1312. Phragmites = 1213
1313. Lysimachia auriculata Hemsl., *L. candida* Lindl., *L. Christinae* Hance, *L. clethroides* Duby, *L. congestiflora*, *L. Fortunei* Maxim., *L. heterogenea*, *L. Huitsunae* Chien, or *L. Klattiana* Hance
1314. Polygonum = 1102
1315. Viola = 1218
1316. Pterocarya paliurus Batal., or *P. stenoptera* DC.
1317. Rubia cordifolia Linn.
1318. Justicia Championi Benth., *J. quadrifaria* Wall., or *J. procumbens* Linn.
1319. Adenophora polymorpha Ledeb., *A. stricta* Miq., or *A. verticillata* Fisch.
1320. Isachae globosa (Thunb.) O. Ktze., or *I. polygonoides* (Lam.) Doell.
1321. Dryopteris arida O. Ktze., *D. Beddomei* (Bak.) O. Ktze., *D. Championi* (Bak.) C. Chr., *D. crenata* O. Ktze., *D. decipiens* O. Ktze., *D. decurrenti-pinnata* Ching, *D. Dickinsii* (Franch. & Sav.) C. Chr., *D. erythrosora* (Eat.) O. Ktze., *D. Esquirolii* Christ., *D. fuscipes* C. Chr., *D. glanduligera* O. Ktze., *D. gracilescens* (Bl.) O. Ktze., *D. gymnophylla* (Bak.) C. Chr., *D. lacera* (Thunb.) O. Ktze., *D. laxa* (Franch. & Sav.) C. Chr., *D. oligophlebia* (Bak.) C. Chr., *D. parasitica* (L.) O. Ktze., *D. setigera* O. Ktze., *D. sophoroides* (Thunb.) O. Ktze., *D. sparsa* (Don) O. Ktze., *D. subelata* Bak., *D. subtripinnata* Miq., or *D. varia* O. Ktze.
1322. Polygonum = 1102
- 1323.
- 1324.
- 1325.

1326. Liquidambar formosana Hance
 1327. Polygonum = 1102
 1328. Centella
 1329. Chrysanthemum coronarium Linn., C. indicum Linn., or C. leucanthemum Linn.
 1330. Calamagrostis = 1275
 1331. Rosa chinensis Jacq., R. Henryi Bouleng., R. laevigata Michx., R. microcarpa Lindl., R. moschata Herrm., R. multiflora Thunb., or R. Souliana
 1332. Chrysanthemum = 1339
 1333. Sassafras tzumu Hemsl.
 1334. Prunus = ~~1112~~ 1112
 1335. Lonicera = 1115
 1336. Cedrela
 1337. Albizia kalkora Prain
 1338.
 1339. Phyllostachys = 1244
 1340.
 1341. Acer = 1227
 1342. Vitis = 1140
 1343. Phyllostachys = 1244
 1344.
 1345. Phyllostachys = 1244
 1346. Phtheirospermum chinense Bunge
 1347. Zizyphus sativa Gaertn.
 1348. Origanum vulgare Linn.
 1349. Polygonum = 1102
 1350. Pueraria Thunbergiana Benth.
 1351. Polygonum = 1102
 1352. Rhododendron = 1189
 1353. Prunus = 1112
 1354. Clematis = 1204
 1355. Arundinella anomala Steud.
 1356.
 1357. Calamagrostis = 1275
 1358.
 1359. Ischaemum = 1148
 1360. Rhus = 1105
 1361. Spodiopogon = 1101
 1362. Vitis = 1140
 1363. Ampelopsis brevipedunculata, A. Delavayana Planch., A. heterophylla Planch.,
A. japonica Mak., or A. micana Rehd.
 1364.
 1365. Smilax = 1165
 1366. Rumex acetosa Linn., R. nepalensis Spreng., or R. patientia Linn.
 1367. Phyllostachys = 1244
 1368. Polygonum = 1102
 1369.
 1370.
 1371.
 1372.
 1373.
 1374. Pistacia chinensis Bunge
 1375. Quercus = 1174
 1376. Populus = 1153
 1377. Symplocos = 1249
 1378. Zanthoxylum alatum Roxb., Z. Bungei Planch., Z. cuspidatum Champ.,
Z. schinifolium Sieb. & Zucc., or Z. setosum Hemsl.
 1379. Ilex cornuta Lindl., I. dubia Trel., I. ficoidea Hemsl., I. Hanceana Maxim.,
I. latifolia Thunb., I. macrocarpa Oliver., I. pedunculata Miq.,

- I. pubescens H. & A., I. purpurea, I. rotunda Thunb., or I. Wilsonii Loes.
1380. Vitis = 1140
 1381. Rosa = 1331
 1382. Evodia = 1190
 1383. Glochidion Fortunei Hance
 1384. Rosa = 1331
 1385. Castanea = 1177
 1386. Zanthoxylum = 1378
 1387. Clematis = 1204
 1388. Dalbergia = 1164
 1389. Ulmus
 1390. Phyllostachys = 1244
 1391. Zizania
 1392. Rosa = 1331
 1393. Digitaria = 1128
 1394. "
 1395. Eragrostis elegantula Steud., E. elongata Jacq., E. ferruginea Beauv.,
 E. interrupta (R. Br. Beauv., or E. pilosa Beauv.
 1396. Smilax = 1165
 1397. Liquidambar formosana Hance
 1398. Quercus = 1174
 1399. Rosa = 1331
 1400. Pterocarya = 1316
 1401.
 1402. Saccharum arundinaceum Retz., S. narenga Ham.
 1403. "
 1404. Loropetalum chinense R. Br.
 1405. Quercus = 1174
 1406. Vitis = 1140
 1407. Zanthoxylum = 1378
 1408. "
 1409. Clematis = 1204
 1410. Arundinaria brevipaniculata Hand.-Maz., A. dumetosa Rendle, or A. Wilsonii Rendle
 1411. Wisteria sinensis Sweet, or W. villosa Rehd.
 1412. Quercus = 1174
 1413. Morus = 1109
 1414. Sophora flavescens Ait., or S. japonica Linn.
 1415. Miscanthus = 1122
 1416. "
 1417. Bambusa
 1418. Ficus Baileyi Hutch., F. erecta Thunb., F. formosana Maxim., F. foveolata Wall.,
 F. heteromorpha Hemsl., F. Martini Levl. & Van., F. pandurata Hance,
 F. pumila Linn., or F. stenophylla Hemsl.
 1419. Ilex = 1379
 1420. Quercus = 1174
 1421. Wisteria = 1411
 1422. Quercus = 1174
 1423. Wisteria = 1411
 1424. Phyllostachys = 1244
 1425.
 1426. Phyllostachys = 1244
 1427. Castanea = 1177
 1428. Andropogon brevifolius Sw., A. micranthus Kunth, A. nardus Linn., or
 A. Sorghum Brot.
 1429. Actinidia = 1237
 1430.
 1431. Ilex = 1379
 1432. Liquidambar formosana Hance

1433. Salix Chienii Cheng, S. glandulosa von Seem., S. Matsudana Koidz., S. Mesnyi
Hance, S. Wilsonii Seem.
1434. Quercus = 1174
1435. Rubus = 1123
1436. Phyllostachys = 1244
1437. Polygonum = 1102
1438. Vitis = 1140
1439. Phyllostachys = 1244
1440. Quercus = 1174
1441. Aster = 1113
1442. Oryza sativa Linn.
- 1443.
1444. Phyllostachys = 1244
- 1445.
1446. Elaeagnus multiflora Thunb., E. pungens Thunb., or E. umbellata Thunb.
1447. Quercus = 1174
1448. Erodium
1449. Phyllostachys = 1244
1450. Miscanthus = 1122
1451. Prunus = 1112
1452. Calamagrostis = 1275
1453. Rosa = 1331
1454. Arundinella anomala Steud.
1455. Sacciolepis indica (L.) Chase
1456. Bambusa
1457. Pteridium aquilinum Linn.
1458. Spodiopogon = 1101
1459. Liquidambar formosana Hance
1460. Wisteria = 1411
1461. Vanieria tricuspidata Hu
- 1462.
- 1463.
1464. Schizandra sphenanthera Rehd. & Wils.
1465. Pistacia chinensis Bunge
1466. Rubus = 1123
1467. "
1468. Wisteria = 1411
1469. Phyllostachys = 1244
1470. "
1471. Rhamnus = 1292
- 1472.
1473. Miscanthus = 1122
1474. Quercus = 1174
1475. "
1476. Eurya japonica Thunb., or E. nitida Korth.
1477. Pilea angulata Hand.-Maz., P. fasciata Franch., or P. Henryana Wright
1478. Mallotus apelta Muell., M. philippinensis Muell., M. repandus Muell.,
M. Stewardii Merr., or M. tenuifolius Pax
1479. Arthraxon hispidus (Thunb.) Merr.
1480. Quercus = 1174
1481. Pteridium aquilinum Linn.
1482. Rosa = 1331
- 1483.
1484. Molinia japonica Hack.
1485. Cyperus compressus Linn., C. difformis Linn., C. iria Linn., C. pilosus Vahl,
or C. rotundus Linn.
1486. Chrysanthumum = 1329

1487. Acer = 1227
 1488. Asparagus cochinchinensis (Lour.) Merr.
 1489. Salix = 1433
 1490. Elscholtzia
 1491.
 1492.
 1493.
 1494.
 1495. Desmodium = 1254
 1496. Polygonum = 1102
 1497. Phyllostachys = 1244
 1498. Polygonum = 1102
 1499. Dunbaria = 1230
 1500. Salix = 1433
 1501. Euphorbia pekinensis Rupr., or E. Sieboldiana Merr. & Decne.
 1502. Morus = 1109
 1503.

 1508. Pueraria Thunbergiana Benth.
 1509.
 1510. Elaeagnus = 1446
 1511.
 1512. Hibiscus mutabilis Linn., or H. syriacus Linn.
 1513. Clematis = 1204
 1514. Digitaria = 1128
 1515. Ligustrum acutissimum Koehne, L. lucidum Ait., L. Quihoui Carr., L. sinense Lour.
 1516. Carex = 1135
 1517. Pyrus betulaeifolia Bunge, P. calleryana Decne., P. serotina Rehd., or
 P. serrulata Rehd.
 1518. Salix = 1433
 1519. Pyrus = 1517
 1520.
 1521.
 1522. Miscanthus = 1122
 1523. Pyrus = 1517
 1524. Liquidambar formosana Hance
 1525. Smilax = 1165
 1526. Agrimonia eupatoria Linn.
 1527. Magnolia denudata Desr., M. liliflora Desr., or M. officinalis Rehd. & Wilson.
 1528. Sapium
 1539. Pentasachne Championi Benth.
 1540. Lycopus europaeus Linn.
 1541. Clematis = 1204
 1542. Aster = 1113
 1543. Salix = 1433
 1544. Phyllostachys = 1244
 1545. Smilax = 1165
 1546.
 1547. Platycarya strobilacea Sieb. & Zucc.
 1548. Pistacia chinensis Bunge
 1549. Populus = 1153
 1550. Celtis = 1196
 1551. Rottboellia compressa Linn.
 1552. Aster = 1113
 1553. Digitaria = 1128
 1554. Quercus = 1174
 1555. Actinidia = 1237
1529.
 1530. Quercus = 1174
 1531. Eurya japonica Thunb., or E. nitida Korth.
 1532. Populus = 1153
 1533. Bambusa
 1534. Benzoin = 1126
 1535. Quercus = 1174
 1536. "
 1537.
- 1538.

1556. Hibiscus = 1512
1557. Scirpus erectus Poir., S. filipes Clarke, S. mucronatus Linn., S. subcapitatus,
S., ternatanus Reinw.
1558. Phyllostachys = 1244
1559. Rhamnus = 1292
1560. Quercus = 1174
1561. Eurya = 1531
1562. Rhamnus = 1292
1563. Phyllostachys = 1244
1564.
1565. Rhamnus = 1292
1566.
1567.
1568. Phyllostachys = 1244
1569. Bambusa
1570. Benzoin = 1126
1571. Phyllostachys = 1244
1572. Benzoin = 1126
1573.
1574.
1575. Miscanthus = 1122
1576.
1577. Cunninghamia lanceolata Hook.
1578. Quercus = 1174
1579. Elaeagnus = 1446
1580. Rosa = 1331
1581. Phyllostachys = 1244
1582.
1583. Wisteria = 1411
1584. Phyllostachys = 1244
1585. Quercus = 1174
1586. Ficus = 1418
1587.
1588.
1589. Salix = 1433
1590. Taraxacum officinale Weber.
1591. Carex = 1135
1592.
1593. Smilax = 1165
1594.
1595. Quercus = 1174
1596. "
1597. Eurya = 1531
1598.
1599.
1600. Phyllostachys = 1244
1601. Quercus = 1174
1602. Pterocarya = 1316

Name _____
Date _____
Subject _____

Cleo - Steward Alvin Coll.

Mosses

Lichens

* spec. sent
Steward.

Ches. Steward - 40550 - on Pinus
Bur. Bark

- * 427 - *Polytrichum commune* Hedw.
* 428 - *Cladidium cymbifolium* (Bry. & Nees) Bry. fr.
* 429 - *Furnaria calvescens* Schwaegr.
* 430 - *Macromitrium sinense* Bartl. n. sp. Type
430-A - *Macromitrium Chamurae* Broth.
* 431 - *Pogonatum aloides* (Hedw.) P. Beauv.
* 432 - *Brachythecium plumosum* (S. J.) Bry. eur.
* 433 - *Atrichum fummanense* (Bartl.) Bartl. n. comb.
* 498 - *Pogonatum inflexum* S. J.
498-A - *Brachythecium apiculense* S. J.
* 499 - *Philonotis Turneriana* (Schwaegr.) Mitt. Type
v. *robusta* Bartl. n. sp.
* 500 - *Leucobryum nipharum* C. M.
558 - *Senatophyllum japonicum* (Bartl.) Bartl.
558-A - *Protura icana* (S. J.) C. M.
* 559 - *Brachythecium Buchanani* (Hook.) Jaeg.
* 560 - *Leucodon secundus* (Harv.) Mitt.
560-A - *Cryphaea sinensis* Bartl. n. sp. Type
* 561 - *Entodon Drummondii* (Bry. eur.) Jaeg.
* 646 - *Pogonatum spinulosum* (Mitt.) v. *serricalyx*
Bartl. n. var. Type

- * 647 - *Dolichomitria cymbifolia* Lindb., Scott.
- * 670 - *Mnium maximoviczii* Lindb.
- * 692 - *Normaliskendron Montagnearum* (C. M.) Fleck.
- * 823 - *Dicranum scoparium* Hedw.
- * 824 - *Dicranum Chesii* Bartram, n. sp. Type
- * 825 - *Symblypharis breviseta* Bartr. n. sp. Type
- 825-A - *Scabridens sinensis* Bartr. n. sp. Type
- * 826 - *Fissidens anomalus* Mont.
- * 827 - *Ctenidium plumulosum* Bartr. n. sp. Type
- * 828 - *Orthomnium nudum* Bartr. n. sp. Type
- * 829 - *Thuidium cymbifolium* (Doz. & Molk.) Mey. fide
- * 830 - *Ceratodon stenocarpus* Bry. eur.
- * 832 - *Ectropothecium Kweichowense* Bartr. n. sp. Type
- * 833 - *Fissidens cristatus* Wils.
- * 834 - *Diphyscum fulvifolium* Mitt.
- * 835 - *Ditricium aureum* Bartr. n. sp. Type
- * 836 - *Hypnum fertile* Ledeb.
- * 837 - *Ansectangium Kweichowense* Bartr. n. sp. Type
- * 838 - *Pogonatum gymnophyllum* Mitt.

- * 841 - *Bartramia Halleriana* Hedw.
- * 842 - *Bartramidula Wilsoni* Bry. eur.
- * 843 - *Schlottheimia pungens* Bart. n. sp. Type
- * 858 - *Splachnum Junghuhnianum* Dry. & Rolke.



